

**Safety Data Sheet
according to WHS Regulations**

Printing date 20.12.2019

Version number 11

Revision: 20.12.2019

Not classified as hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

Product identifier Stopaq 4200 Filler

Trade name: Stopaq 4200 Filler

Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC9b Fillers, putties, plasters, modelling clay

Process category PROC19 Manual activities involving hand contact

Environmental release category ERC8f Widespread use leading to inclusion into/onto article (outdoor)

Application of the substance / the mixture Sealant

Uses advised against -

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Seal For Life Industries - Stopaq®

Contact details:

Seal For Life Industries - Stopaq B.V., Gasselterstraat 20, 9503JB Stadskanaal, the Netherlands
Tel +31 599 696 170; Fax +31 599 696 177; Email: info@sealforlife.com

Importer / Distributor:

Australian distributor: Anti Corrosion Technology Pty. Ltd., 3/13 Selhurst Street, Coopers Plains, Queensland, 4108, Australia

Office: (07) 3344 4434, Mobile: 0410 649 454, Email: info@anticorrosiontechnology.com

For any transportation emergencies after hours, call 0410 649 454

Further information obtainable from: Occupational product safety department of Seal For Life Industries

Emergency telephone number:

Australian distributor: Anti Corrosion Technology Pty. Ltd., Monday to Friday 8.00am to 5.00pm, for general information call (07) 3344 4434. For any transportation emergencies after hours, call 0410 649 454

For worldwide emergency assistance call CHEMTREC (24 hours):

Within USA/Canada 1-800-424-9300, CCN22955; Outside USA/Canada +1 703-527-3887 (collect calls accepted)
CHEMTREC Australia: +(61)-290372994

2 Hazard(s) Identification

Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

Label elements

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

(Contd. on page 2)

— AU —

Safety Data Sheet
according to WHS Regulations

Printing date 20.12.2019

Version number 11

Revision: 20.12.2019

Trade name: Stopaq 4200 Filler

(Contd. of page 1)

Other hazards

Results of PBT and vPvB assessment

PBT: Not available.

vPvB: Not available.

* **3 Composition and Information on Ingredients**

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components: Void

Additional information: For the wording of the listed hazard phrases refer to section 16.

* **4 First Aid Measures**

Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Rinse out mouth and then drink plenty of water.

Information for doctor:

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

* **5 Fire Fighting Measures**

Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

* **6 Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: No special measures required.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

**Safety Data Sheet
 according to WHS Regulations**

Printing date 20.12.2019

Version number 11

Revision: 20.12.2019

Trade name: Stopaq 4200 Filler

(Contd. of page 2)

See Section 13 for disposal information.

*** 7 Handling and Storage**

Handling:

Precautions for safe handling No special measures required.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

*** 8 Exposure controls and personal protection**

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Do not eat, drink, smoke or sniff while working.

Respiratory protection: Not required.

Protection of hands:

Not required.

No chemical-protective gloves required.

Eye protection: Goggles recommended during refilling

*** 9 Physical and Chemical Properties**

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Pasty
Colour:	Light green
Odour:	Light
Odour threshold:	Not determined.

pH-value: Not determined.

Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 273 °C

(Contd. on page 4)

Safety Data Sheet
according to WHS Regulations

Printing date 20.12.2019

Version number 11

Revision: 20.12.2019

Trade name: Stopaq 4200 Filler

(Contd. of page 3)

Flash point:	>320 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	450 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	~1.5 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	0.00 %
Other information	No further relevant information available.

*** 10 Stability and Reactivity**

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials:

Reacts with strong acids.

Reacts with oxidising agents.

Hazardous decomposition products: No dangerous decomposition products known.

*** 11 Toxicological Information**

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification: No further relevant information available

(Contd. on page 5)

**Safety Data Sheet
according to WHS Regulations**

Printing date 20.12.2019

Version number 11

Revision: 20.12.2019

Trade name: Stopaq 4200 Filler

(Contd. of page 4)

Primary irritant effect:

Skin corrosion/irritation No irritant effect.

Serious eye damage/irritation No irritating effect.

Respiratory or skin sensitisation No sensitising effects known.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

***12 Ecological Information**

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not available.

vPvB: Not available.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number ADG, ADN, IMDG, IATA	Void
UN proper shipping name ADG, ADN, IMDG, IATA	Void
Transport hazard class(es) ADG, ADN, IMDG, IATA Class	Void
Packing group ADG, IMDG, IATA	Void

(Contd. on page 6)

**Safety Data Sheet
according to WHS Regulations**

Printing date 20.12.2019

Version number 11

Revision: 20.12.2019

Trade name: Stopaq 4200 Filler

(Contd. of page 5)

Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Void

*** 15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical Substances

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

GHS label elements Void
Hazard pictograms Void
Signal word Void
Hazard statements Void

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Occupational product safety department of Seal For Life Industries

Contact:

Seal For Life Industries
Gasselterstraat 20, 9503JB Stadskanaal, the Netherlands
Tel: +31 599 696 170; Fax: +31 599 696 177; Email: info@sealforlife.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
vPvB: very Persistent and very Bioaccumulative

* **Data compared to the previous version altered.**